

<b>Product:</b>	Fetal Bovine Serum	<b>Description:</b>	Heat Inactivated Regular, USDA Approved Origin
<b>Catalog Number:</b>	35-011-CF, 35-011-CV	<b>Lot Number:</b>	00721001
<b>Date of Heat Inactivation:</b>	08 JAN 2021	<b>Heat Inactivation Type:</b>	Bulk Tank Inactivation
<b>Testing Performed on:</b>	Heat Inactivated Product	<b>Heat Inactivation Temperature:</b>	56°C (±2°C) for 30 minutes
<b>Parent Catalog Number:</b>	N/A	<b>Parent Lot Number:</b>	N/A
<b>Date of Manufacture:</b>	08 JAN 2021	<b>Date of Expiration:</b>	JAN 2026
<b>Country of Raw Material Origin:</b>	Honduras	<b>Country of Final Processing:</b>	United States
<b>Sterility Assurance Level:</b>	10 <sup>-3</sup> (Triple 0.1 µm Filtered)	<b>Storage:</b>	-40°C to -10°C

Test	Method	Specification	Results	Units
Endotoxin	USP <85> & EP 2.6.14	≤ 20	0.400	EU/mL
Hemoglobin	USP <90>	≤ 30	7.61	mg/dL
Mycoplasma	Barile and Kern & Hoechst Fluorochrome Stain	Not Detected	Not Detected	N/A
Osmolality	USP <785> & EP 2.2.35	260 – 350	317	mOsm/kg H <sub>2</sub> O
pH	USP <791> & EP 2.2.3	6.5 – 8.5	7.02	N/A
Sterility (Bacteria & Fungi)	USP <71> & EP 2.6.1	No Growth	No Growth	N/A
Total Protein	USP <1057> & EP 2.5.33	3.0 – 4.5	3.6	g/dL
Gamma-Glutamyl Transferase (GGT)	Chemistry Analyzer	≤ 10	6	IU/L
Cell Growth Performance Testing	MTT Assay	Passed	Passed	N/A
Identification (Species ID)	EP 2.7.1	Bovine	Bovine	N/A
Virus Testing	9 CFR Part 113.53c			
Bluetongue Virus		Not Detected	Not Detected	N/A
Bovine Adenovirus 1 & 5		Not Detected	Not Detected	N/A
Bovine Parvovirus		Not Detected	Not Detected	N/A
Bovine Respiratory Syncytial Virus		Not Detected	Not Detected	N/A
Bovine Viral Diarrhea Virus		As Reported	Not Detected	N/A
Rabies Virus		Not Detected	Not Detected	N/A
Reovirus		Not Detected	Not Detected	N/A
Cytopathogenic Agents (IBR)		Not Detected	Not Detected	N/A
Hemadsorbing Agents (PI3)		Not Detected	Not Detected	N/A
Biochemical Testing - Proteins & Organic Compounds				
Alkaline Phosphatase		As Reported	16	IU/L
Blood Urea Nitrogen (BUN)		As Reported	20	mg/dL
Cholesterol		As Reported	29	mg/dL
Creatinine		As Reported	2.8	mg/dL
Glucose		As Reported	71	mg/dL
Glutamic Oxaloacetic Transaminase (AST)		As Reported	42	IU/L

Glutamic Pyruvic Transaminase (ALT)		As Reported	5	IU/L
High Density Lipoprotein Cholesterol (HDL)		As Reported	9	mg/dL
Immunoglobulin G (IgG)	ELISA	As Reported	76.0	µg/mL
Low Density Lipoprotein Cholesterol (LDL)		As Reported	7	mg/dL
Total Bilirubin		As Reported	0.2	mg/dL
Triglyceride		As Reported	66	mg/dL
Uric Acid		As Reported	2.0	mg/dL
Biochemical Testing - Electrophoretic Profile	Cellulose Acetate Electrophoresis	Normal	Normal	N/A
Albumin		As Reported	2.1	g/dL
Alpha		As Reported	1.2	g/dL
Beta		As Reported	0.2	g/dL
Gamma		As Reported	0.1	g/dL
Biochemical Testing - Trace Metals				
Calcium		As Reported	13.1	mg/dL
Chloride		As Reported	99	mmol/L
Iron		As Reported	169	µg/dL
Magnesium		As Reported	3.1	mg/dL
Phosphorus		As Reported	8.9	mg/dL
Potassium		As Reported	>10.0	mmol/L
Sodium		As Reported	137	mmol/L
Biochemical Testing - Hormones				
Cortisol		As Reported	<0.2	µg/dL
Insulin		As Reported	2.96	µIU/mL
Progesterone		As Reported	<0.1	ng/mL
Testosterone		As Reported	0.01	ng/mL
T3		As Reported	105	ng/dL
T4		As Reported	13.4	µg/dL

**Notes:**

For additional information on this Mediatech product, please contact our Technical Services department at (800) 492-1110 or via email at [scientificsupport@corning.com](mailto:scientificsupport@corning.com).


This product was tested in accordance with Mediatech, Inc. specifications and procedures current as of date of manufacture. Testing procedures are maintained in compliance with the current versions of the USP and/or EP, where applicable.

Cell lines used in MTT Assay: 3T3, L929, MDCK and Vero. Cell lines used in 9CFR Part 113.53c virus testing: MDBK and Vero.


For research or further manufacturing uses only. Not for use as an excipient. Not for therapeutic or diagnostic uses. Not for human or animal consumption. Utilization of this product apart from the labeled intended use may be a violation of local and/or Federal Law.

The following signatures indicate the above material has met all quality specifications and has been reviewed by a Quality representative.

Written By/Date:

 03 MAR 2021

Reviewed By/Date:

 03 MAR 2021

