

Certificate of Analysis

Description: Fetal Bovine Serum
USDA Approved Source
Heat Inactivated

Storage: -25 to -15°C.

Catalog #: 35-011-CV

Lot #: 35011114

Expiration Date: 2019/08

Country of Raw Material Origin: Mexico

Country of Manufacture: USA

Notes:

This product was tested in accordance with currently approved Mediatech, Inc. specifications and procedures. Testing procedures are maintained in compliance with the current versions of the USP and/or EP, where applicable.

For Research Use Only Not for Human Therapeutic Use. Utilization of this product apart from the labeled intended use may be a violation of local and/or Federal Law.

This Serum was processed at FDA and/or USDA licensed facilities and collected from abattoirs outside the United States from bovine fetuses derived from healthy animals, which received ante-mortem and post-mortem inspections and were found to be free of signs and symptoms of infectious and contagious diseases.


TEST PARAMETERS	SPECIFICATION	RESULT
pH	7.8 ± 0.8	7.3
Osmolality	315 ± 35 mOsm/kg H ₂ O	300 mOsm/kg H ₂ O
Endotoxin	≤ 20 EU/mL	< 1 EU/mL
Mycoplasma	Tested Negative	Not Detected
Total Protein	3-5 g/dL	4 g/dL
Hemoglobin	< 30 mg/dL	15 mg/dL
Sterility	Sterile	Not Detected
Performance Testing		
Relative Growth Promotion	Pass	Pass
Population	Pass	Pass
Filtration	Triple 0.1 µm Filtered	Triple 0.1 µm filtered

For additional information on this Mediatech product, please contact our Technical Services department at (800) 235-5476 or via email at MTTechServ@corning.com.

Following signatures indicate the above material has met all quality specifications and has been reviewed by a Quality representative.

Written By/Date: Karyn Knepp 10 APR 2015

Verified By/ Date: Jacques Potenciano / 45
13 Apr 2015



Mediatech, Inc.
A Corning Subsidiary
9345 Discovery Boulevard
Manassas, VA 20109
Main (703) 471-5955
Customer Service (800) 235-5476
www.cellgro.com