A Corning Subsidiary

## Certificate of Analysis

Description: Fetal Bovine Serum (Heat

Inactivated)

-25 to -15°C

Catalog #

35-011-CV

Lot#

35011132

Parent Part #:

N/A

Parent Lot #:

N/A

Date of Manufacture:

June 8, 2018

**Expiration Date:** 

2023/06

Country of Raw Material Origin:

Mexico

Country of Manufacture:

USA

## Notes:

Storage:

This product was tested in accordance with currently approved Mediatech, Inc. specifications and procedures. Testing procedures are maintained in compliance with the current versions of the USP and/or EP, where applicable.

This product was manufactured from fetal bovine blood collected from government approved harvest facilities located in Mexico. All fetal bovine serum is derived from fetuses collected from healthy bovine cows and heifers that have passed ante- and post mortem inspection and were found free of contagious diseases. This material was imported into the United States under a USDA/APHIS issued import permit.

For research and further manufacturing use only. Not for use as an excipient. Not for therapeutic or diagnostic use. Not for human or animal consumption. Utilization of this product apart from the labeled intended use may be a violation of local and/or Federal Law.

TEST PARAMETERS	SPECIFICATION	RESULT
Appearance (Visual Inspection)	Amber or caramel colored frozen liquid	Caramel colored frozen liquid
Triple 0.1 Micron-Filtered	As Reported	Triple 0.1 µm Filtered
Sterility (USP <71>) (EP 2.6.1)	Not Detected Not Detected	Not Detected Not Detected
Sterility Assurance Level (SAL)	10-3	10-3



Mediatech, Inc. A Corning Subsidiary 9345 Discovery Boulevard Manassas,VA 20109 1-800-492-1110 www.cellgro.com

A Corning Subsidiary

Endotoxin (USP <85>)	≤ 20 EU/mL	< 0.1 EU/mL
Mycoplasma (Barile, MF and Kern, J (1971)) (Hoechst Fluorochrome Stain)	Not Detected Not Detected	Not Detected Not Detected
pH (USP <791>)	6.8 – 8.4	7.2
Osmolality (USP <785>)	280 – 350 mOsm/kgH₂O	306 mOsm/kgH₂O
Performance Testing	Passed > 75% to control	Pass
Virus Screening (9 CFR Part 113.53 c [113.46, 113.47])		
Bluetongue Virus	Not Detected	Not Detected
Bovine Adenovirus 1 & 5	Not Detected	Not Detected
Bovine Parvovirus	Not Detected	Not Detected
Bovine Respiratory Syncytial Virus	Not Detected	Not Detected
Bovine Viral Diarrhea Virus	As Reported	Not Detected
Rabies Virus	Not Detected	Not Detected
Reovirus	Not Detected	Not Detected
Cytopathogenic Agents (e.g. IBR)	Not Detected	Not Detected
Hemadsorbing Agents (e.g. PI3)	Not Detected	Not Detected
Proteins/Other		
Gamma-Glutamyl Transferase (GGT)	As Reported	5 IU/L
Alkaline Phosphatase	As Reported	4 IU/L
Blood Urea Nitrogen (BUN)	As Reported	17 mg/dL
Cholesterol	As Reported	33 mg/dL
Creatinine	As Reported	2.8 mg/dL
		g



Mediatech, Inc. A Corning Subsidiary 9345 Discovery Boulevard Manassas,VA 20109 1-800-492-1110 www.cellgro.com

Glucose	As Reported	70 mg/dL
Glutamic Oxaloacetic	As Reported	21 IU/L
Transaminase (SGOT) (AST)	, io i topoliou	2110/L
Glutamic Pyruvic	As Reported	4 IU/L
Transaminase (SGPT)(ALT)		
Hemoglobin		
(USP <90> compliant Fleming	≤ 30 mg/dL	7 mg/dL
and Woolf method)	= 00 mg/u2	7 1119/42
High Density Lipoprotein	A - D	•
Cholesterol (HDL)	As Reported	9 mg/dL
Immunoglobulin (IgG) (ELISA)	As Panartad	127.0 ug/ml
Low Density Lipo-Protein	As Reported	137.2 μg/mL
Cholesterol (LDL)	As Reported	10 mg/dL
Total Bilirubin	As Reported	0.2 mg/dL
Total Protein		0.2 mg/dL
(Biuret Method)	3.0 -5.0 g/dL	3.6 g/dL
Triglycerides	As Reported	68 mg/dL
Uric Acid	As Reported	2.1 mg/dL
Electrophoretic Profile	Typical OR Normal OR	<u> </u>
(Cellulose Acetate	Representative of Fetal Bovine	Normal
Electrophoresis)	Serum	
Albumin	As Reported	2.0 g/dL
AL-L- 4.0	Report as Alpha 1,2 OR Report	
Alpha – 1, 2	both Alpha 1 and Alpha 2 when	1.3 g/dL
Beta	applicable As Reported	0.0/-
Gamma		0.2 g/dL
Trace Metals	As Reported	0.1 g/dL
Calcium	As Reported	40.4
	•	13.4 mg/dL
Chloride	As Reported	97 mEq/L
Iron	As Reported	185 µg/dL
Magnesium	As Reported	3.1 mg/dL
Phosphorus	As Reported	9.3 mg/dL
Potassium	As Reported	> 10.0 mEq/L
Sodium	As Reported	137 mEq/L



Mediatech, Inc. A Corning Subsidiary 9345 Discovery Boulevard Manassas,VA 20109 1-800-492-1110 WWW.cellgro.com

T4	As Reported	20.0 μg/dL
Т3	As Reported	88.8 ng/dL
Testosterone	As Reported	< 0.01 ng/mL
Progesterone	As Reported	< 0.1 ng/mL
Insulin	As Reported	2.51 µIU/mL
Estradiol	As Reported	19.1 pg/mL
Cortisol	As Reported	0.236 µg/dL
Hormones		

For additional information on this Mediatech product, please contact our Technical Services department at (800) 235-5476 or via email at MTTechServ@coming.com.

Following signatures indicate the above material has met all quality specifications and has been reviewed by a Quality representative.

Written By/Date:	un 09AV62018	Reviewed By/Date:	Hacou	parenes	45
				/	10 aug 2018