CORNING

Certificate of Analysis

Product: Fetal Bovine Serum Description: Premium,

United States Origin

Catalog Number: 35-015-CF, 35-015-CV **Lot Number:** 15822001

Date of Manufacture: 08 JUN 2022 Date of Expiration: JUN 2027

Country of Raw Material

Origin:

United States

Country of Final Processing:

Storage:

United States

-40°C to -10°C

Sterility Assurance 10⁻³ (Triple 0.1 µm

Level: Filtered)

Test	Method	Specification	Results	Units		
Endotoxin	USP <85> & EP 2.6.14	≤ 5.0	<0.1	EU/mL		
Hemoglobin	USP <90>	≤ 25	7.76	mg/dL		
Mycoplasma	Barile and Kern & Hoechst Fluorochrome Stain	Not Detected	Not Detected	N/A		
Osmolality	USP <785> & EP 2.2.35	260 – 350	302	mOsm/kg H₂O		
рН	USP <791> & EP 2.2.3	6.5 - 8.5	7.06	N/A		
Sterility (Bacteria & Fungi)	USP <71> & EP 2.6.1	No Growth	No Growth	N/A		
Total Protein	USP <1057> & EP 2.5.33	3.0 - 4.5	3.3	g/dL		
Gamma-Glutamyl Transferase (GGT)	Chemistry Analyzer	≤ 10	4	IU/L		
Cell Growth Performance Testing	MTT Assay	Passed	Passed	N/A		
Identification (Species ID)	EP 2.7.1	Bovine	Bovine	N/A		
Virus Testing	9 CFR Part 113.53c					
Bluetongue Virus		Not Detected	Not Detected	N/A		
Bovine Adenovirus 1 & 5		Not Detected	Not Detected	N/A		
Bovine Parvovirus		Not Detected	Not Detected	N/A		
Bovine Respiratory Syncytial Virus		Not Detected	Not Detected	N/A		
Bovine Viral Diarrhea Virus		As Reported	Not Detected	N/A		
Rabies Virus		Not Detected	Not Detected	N/A		
Reovirus		Not Detected	Not Detected	N/A		
Cytopathogenic Agents (IBR)		Not Detected	Not Detected	N/A		
Hemadsorbing Agents (PI3)		Not Detected	Not Detected	N/A		
BVDV Serum Neutralization	Alpha Antibody Test					
BVDV Antibody Type 1		As Reported	10 ^{4.45}	TCID ₅₀ /mL		
BVDV Antibody Type 2		As Reported	10 ^{4.70}	TCID ₅₀ /mL		
Biochemical Testing - Proteins & Organic Compounds						
Alkaline Phosphatase		As Reported	202	IU/L		
Blood Urea Nitrogen (BUN)		As Reported	15	mg/dL		
Cholesterol		As Reported	26	mg/dL		
Creatinine		As Reported	2.5	mg/dL		
Glucose		As Reported	99	mg/dL		
Glutamic Oxaloacetic Transaminase (AST)		As Reported	54	IU/L		
Glutamic Pyruvic Transaminase (ALT)		As Reported	4	IU/L		
High Density Lipoprotein Cholesterol (HDL)		As Reported	8	mg/dL		
Immunoglobulin G (IgG)	ELISA	As Reported	74.5	μg/mL		
Low Density Lipoprotein Cholesterol (LDL)		As Reported	3	mg/dL		
Total Bilirubin		As Reported	0.3	mg/dL		
Triglyceride		As Reported	77	mg/dL		
Uric Acid		As Reported	2.2	mg/dL		

Biochemical Testing - Electrophoretic Profile	Cellulose Acetate Electrophoresis	Normal	Normal	N/A
Albumin		As Reported	1.9	g/dL
Alpha		As Reported	1.1	g/dL
Beta		As Reported	0.2	g/dL
Gamma		As Reported	0.1	g/dL
Biochemical Testing - Trace Metals				
Calcium		As Reported	13.1	mg/dL
Chloride		As Reported	98	mmol/L
Iron		As Reported	183	μg/dL
Magnesium		As Reported	3.0	mg/dL
Phosphorus		As Reported	10.5	mg/dL
Potassium		As Reported	13.2	mmol/L
Sodium		As Reported	136	mmol/L
Biochemical Testing - Hormones				
Cortisol		As Reported	<0.20	μg/dL
Insulin		As Reported	5.07	μIU/mL
Progesterone		As Reported	<0.1	ng/mL
Testosterone		As Reported	<0.01	ng/mL
T3		As Reported	126	ng/dL
T4		As Reported	60.0	μg/dL

Notes:

For additional information on this Mediatech product, please contact our Technical Services department at (800) 492-1110 or via email at scientificsupport@corning.com.

This product was tested in accordance with Mediatech, Inc. specifications and procedures current as of date of manufacture. Testing procedures are maintained in compliance with the current versions of the USP and/or EP, where applicable.

Cell lines used in MTT Assay: 3T3, L929, MDCK and Vero. Cell lines used in 9CFR Part 113.53c virus testing: MDBK and Vero.

For research or further manufacturing uses only. Not for use as an excipient. Not for therapeutic or diagnostic uses. Not for human or animal consumption. Utilization of this product apart from the labeled intended use may be a violation of local and/or Federal Law.

Product meets European Union requirements for the production of technical blood products.

Product meets export certification requirements for Fetal Bovine Serum to Korea.

Origin and BSE/TSE Statements:

The aforementioned lot was manufactured from fetal bovine blood collected from government approved harvest facilities located in the United States, a country recognized by the United States Department of Agriculture - Animal and Plant Health Inspection Service (USDA-APHIS) and the World Organization for Animal Health (OIE) as having a negligible risk of Bovine Spongiform Encephalopathy (BSE), a bovine-specific Transmissible Spongiform Encephalopathy (TSE). All fetal bovine serum is derived from fetuses collected from healthy bovine cows and heifers that have passed ante and post mortem inspection and were found free of contagious diseases.

Lot Number: 15822001

The following signatures indicate the above material has met all quality specifications and has been reviewed by a Quality representative.

DocuSigned by: DocuSigned by: 25-Ju1-2022 La Her 25-Ju1-2022 Written By/Date: Reviewed By/Date: Michael Maurer Signer Name: La Her Signer Name: Michael Maurer Signing Reason: I am the author of this document Signing Reason: I have reviewed this document Signing Time: 25-Jul-2022 | 6:25:39 PM EDT Signing Time: 25-Jul-2022 | 8:45:35 PM EDT B4EFF4CB53B04B75975F5AF91FB7EC70 -01577DCCAF214B72A550B1C7D6E6DFEC



Lot Number: 15822001