## **Certificate of Analysis**

## EPIDERMAL GROWTH FACTOR, CULTURE GRADE

EGF, Culture grade, is isolated by Bio-Gel P-10 chromatography as described by Savage and Cohen. 1 It is a product of excellent purity containing trace ammonium acetate, and is particularly suited for serum-containing or defined culture medium applications.

CATALOG NUMBER:

354001

LOT NUMBER: 0034002

SOURCE:

Mouse submaxillary glands

MOLECULAR WEIGHT:

6100

QUANTITY:

100 micrograms per vial

PURITY:

≥80% by 10% SDS PAGE Analysis

≥95% by 16% SDS PAGE Analysis

RECONSTITUTION

AND USE:

Epidermal Growth Factor, Culture grade, is lyophilized from a membrane-filtered (0.20 micron) solution. To reconstitute, add 1 to 5 mls of sterile distilled water and swirl vial to effect complete solution. If entire amount of material is not to be used immediately, transfer aliquots to sterile plastic tubes and store at-20°C. It is

recommended that solubilized product is used within 2 months. AVOID REPEATED

FREEZING/THAWING OF RECONSTITUTED EGF SOLUTION

EGF. Culture grade may be added to culture medium at any desired concentration. Concentrations commonly employed in cell culture applications range from 5 to 100

nanograms per milliliter of medium.

QUALITY CONTROL:

EGF, Culture grade has been tested for mitogenic activity in a cell proliferation assay using human foreskin fibroblasts grown for 7 days in DME + 10% fetal bovine serum. Four nanograms of this lot per ml culture medium caused a 2.6 -fold increase in cell

number over control cultures without EGF.

STORAGE:

Stable when stored at 2-8 °C. DO NOT FREEZE.

**EXPIRATION DATE:** 

January 12, 2022

REFERENCES:

1. Savage, Jr., C.R. and Cohen S., J. Biol. Chem. 247: 7609, 1972.

SAFETY RECOMMENDATION: Handle in accordance with good industrial hygiene and laboratory safety

practices.

March 26,2020

Discovery Labware, Inc., Two Oak Park, Bedford, MA 01730, Tel: 1.978.442.2200 (U.S.) CLSTechServ@Corning.com www.corning.com/lifesciences

CORNING