

Certificate of Analysis
Amended*

<p>Description: DMEM (Dulbecco's Modification of Eagle's Medium) with 4.5 g/L glucose without L-glutamine, sodium pyruvate, phenol red & sodium bicarbonate Prepares 10 L at 12.78 g/L</p> <p>Storage: 2-8°C</p>	<p>Catalog #: 90-013-PB</p> <p>Lot #: 05922001</p> <p>Expiration Date: 2024-09</p> <p>Country of Manufacture: USA</p>
---	---

Notes:

This product was tested in accordance with currently approved Mediatech, Inc. specifications and procedures. Testing procedures are maintained in compliance with the current versions of the USP and/or EP, where applicable.

For Research or Further Manufacturing Use Only Not for use in Diagnostic Procedures. Utilization of this product apart from the labeled intended use may be a violation of local and/or Federal Law.

TEST PARAMETERS	SPECIFICATION	RESULT
pH (before adjustment with NaHCO3)	6.5 ± 0.5	6.2
pH (after adjustment with NaHCO3)	7.8 ± 0.5	7.8
Osmolality (before adjustment with NaHCO3)	For Information Only	249 mOsm/kg H2O
Osmolality (after adjustment with NaHCO3)	335 ± 30 mOsm/kg H2O	320 mOsm/kg H2O
Endotoxin	≤ 0.25 EU/ml @FW	< 0.0010 EU/ml @FW
Mycoplasma	Tested Negative	Negative
Particle Size	≥ 90% @ 212 micron	97% @ 212 micron
Solubility	Pass	Pass
Moisture	≤ 1.50%	0.758%
Bioburden	Test & Report	30 CFU/g
Cell Growth	Pass	Pass
VERO		
PRK		
NS-1		
Plating Efficiency	Pass	Pass
LM		

For further information, contact Corning Scientific Support at 800-492-1110 or ScientificSupport@corning.com

Following signatures indicate the above material has met all quality specifications and has been reviewed by a Quality representative.

Written By/Date: Tracey Aidenon 26 May 2023

Reviewed By/Date: [Signature] 26 MAY 2023

*Amended to remove sterile filtration statement.



Mediatech, Inc.
A Corning Subsidiary
9345 Discovery Boulevard
Manassas, VA 20109
1-800-492-1110
www.corning.com